

# KAWASAKI

RIDING-TYPE TEA PLUCKING  
MACHINE WITH CONTAINER

## KJ10C SJ(R)



### SINGLE FLOW SYSTEM

For  
High Speed Tea Plucking!



#### ● SINGLE FLOW SYSTEM

##### ■ Specifications Riding-Type Tea Plucking Machine KJ10C-SJ [R] SF

Engine	Kubota 4-cylinder diesel
Exhaust displacement	1498 cc
Rated output	18.5 kW/2300 min-1 25.2 PS/2300 rpm
Overall length (during operation)	3060 mm
Overall width (during operation)	2100 mm
Overall height (during operation)	2870 mm
Track gage	Fixed 1700, 1750, 1800, 1850 Variable (W170) 1600 to 1800 mm (W175) 1650 to 1850 mm (W180) 1700 to 1900 mm
Hill-climbing ability safety angle	Within 15 degrees
Effective clipping height	530 to 990 mm 530 to 1090 mm (raised floor specifications, stationary machine only)
Container storage capacity	2.8 m <sup>3</sup>



#### FEATURES



- Container storage capacity 2.8 m<sup>3</sup>
- Radial shape container mounts at rear
- Slide ejection system
- Cutter reap leveling unit (optional)
- Movable mirrors (optional)

- Radial shaped rear container




**Slit jet plucking method is  
only available from Kawasaki!**

Slit  
Jet

Patent No. JP4349999

**NOW PATENTED!**



\*Please note that changes may be made in specifications and product outer view without prior notice for the purpose product improvement.

ISO 9001  
Certified

## KAWASAKI KIKO CO., LTD.

810-2, Dategata, Namerikawa, Kakegawa City  
Shizuoka Prefecture 436-0005 Japan  
Phone +81-537-27-1712 Fax +81-537-27-1716  
Website URL <http://www.kawasaki-kiko.co.jp>